

Brookins
Service Station Equipment

**MEASURES • DISPENSERS • GAS CANS • DRAIN CANS
OILERS • CREEPERS • RADIATOR FILLERS**

BROOKINS DIVISION BALCRANK INC.,


CINCINNATI 9, OHIO




MODEL 1004



MODEL 104




MODEL 908



MODEL 808



MODEL 1225



MODEL 1235



MODEL 672



MODEL 512

BROOKINS FLOW CONTROL MEASURES

Flexible and rigid spout types in Lifetime Lustre Finish that shows no finger marks. Extra long spouts—easy action flow control valve that locks open. Patented clear drain bottom. Flexible Spout Models have extra-long asbestos-packed tubing spout that will not unwind or leak. Rigid Spout Models have long swing spout with self-adjusting, leak-proof swivel.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
101 (Flexible)	1 qt.	6	16 lbs.
102 (Flexible)	2 qts.	6	18 lbs.
104 (Flexible)	4 qts.	6	24 lbs.
1001 (Rigid)	1 qt.	6	18 lbs.
1002 (Rigid)	2 qts.	6	20 lbs.
1004 (Rigid)	4 qts.	6	25 lbs.

Assortment of any 6 of the above Measures also constitutes Unit Lot.

BROOKINS FLOW CONTROL CRANKCASE FILLERS

Squat body and extra-long swinging spout for getting under hoods. Special non-spill top. Top and side handles make for easy use. Patented clear drain bottom. Flexible Spout Models feature leak-proof asbestos-packed spout. Rigid Spout Models have self-adjusting leak-proof swivel.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
805 (Flexible)	5 qts.	1	5 lbs.
806 (Flexible)	6 qts.	1	6 lbs.
808 (Flexible)	8 qts.	1	6 lbs.
905 (Rigid)	5 qts.	1	6 lbs.
906 (Rigid)	6 qts.	1	6 lbs.
908 (Rigid)	8 qts.	1	6 lbs.

BROOKINS CANNED OIL DISPENSERS

Easy-cutting, case hardened blade cuts larger opening for quicker drainage. Patented clear drain bottom. Flexible Spout Models 1285 and 1281 have leak-proof valve control; Models 1235 and 1231 do not. Rigid Spout Models have valve control and are self-supporting in oil intake.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
1221 (Rigid)	1 qt.	6	24 lbs.
1225 (Rigid)	5 qts.	1	6 lbs.
1231 (Flexible)	1 qt.	6	24 lbs.
1235 (Flexible)	5 qts.	1	6 lbs.
1281 (Flexible)	1 qt.	6	25 lbs.
1285 (Flexible)	5 qts.	1	6 lbs.

Assortment of any 6 of the above 1 qt. Canned Oil Dispensers also Constitutes Unit Lot.

BROOKINS COMBINATION MEASURES

Extra strong with either flexible or rigid spout. Heavy-gauge stock. Double-seamed and hot-dip galvanized after assembly. Flexible Spout Model 674 and Rigid Spout Model 514 are obtainable in 1 & 2 qt. sizes.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
511 (Rigid)	1 qt.	12	10 lbs.
512 (Rigid)	2 qts.	12	15 lbs.
514 (Rigid)	4 qts.	12	23 lbs.
671 (Flexible)	1 qt.	12	12 lbs.
672 (Flexible)	2 qts.	12	16 lbs.
674 (Flexible)	4 qts.	12	25 lbs.


BROOKINS AUTOMATIC TRANSMISSION MEASURES

24" Flexible tapered spout fits transmission openings. Exclusive 100 x 80 mesh screen for clean oil delivery. Patented clear drain bottom. Models 1281AT and 1285AT equipped with easy-cutting case hardened blade which cuts larger opening for quick drainage.

MODEL	CAPACITY	PACKED UNIT LOT	UNIT LOT SHIP. WT.
101AT (Flexible)	1 qt.	6	18 lbs.
805AT (Flexible)	5 qt.	1	5 lbs.
808AT (Flexible)	8 qt.	1	6 lbs.
1281AT (Flexible)	1 qt.	6	25 lbs.
1285AT (Flexible)	5 qt.	1	7 lbs.



MODEL 101AT




MODEL 1285AT

BROOKINS CANNED OIL DISPENSERS

Easy-cutting case hardened blade, leakproof, lifetime lustre finish. Ideal for 1 and 5 qt. cans. Model 1149F has extra long 13" Flexible Spout and Tapered Nozzle.

MODEL	PACKED UNIT LOT	SHIP. WT. UNIT LOT
1149	6	9 lbs.
1149F (Flexible)	6	15 lbs.



MODEL 1149



MODEL 1149F

BROOKINS OIL DRAIN CAN

Large funnel on telescoping tube. 70" when raised, 40" when lowered. Machine set-screw holds funnel at desired height. Reinforced bottom and top. Finished in red or white enamel.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
405 (Red)	5 gal.	1	15 lbs.
405W (White)	5 gal.	1	15 lbs.


MODEL 405



BROOKINS MASTER MEASURE

Extra heavy metal, strongly reinforced. Protected gauge — graduated in cubic inches from 1 to 15 above and below zero. Provided with adjusting and sealing device. Heavy, half-round strap carrying handle. Concave bottom. Finished in red enamel.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
315	5 gal.	1	15 lbs.



MODEL 315


BROOKINS CAN SPOUTS

For dispensing canned oil. Single thrust cuts and clamps to can for pouring. Quick, simple, one-hand operation. Model 1135 SG Canspout for Anti-Freeze — perfect seal on round or rectangular cans. Replaceable Neoprene gasket. Positive lock on cans. Model 1140 Funnel Type Dispenser for 1 qt. cans — self-supporting — closed curve spout.

MODEL	SIZE	PACKED UNIT LOT	SHIP. WT. UNIT LOT
1110	1 qt. & Smaller	10	2 lbs.
1120	Extension	10	4 lbs.
1121	1 qt. (Same style as Model 1125 but smaller)	10	3½ lbs.
1125	1 & 5 qt.	10	6 lbs.
1135	1 & 5 qt.	10	7 lbs.
1135 SG	1 & 5 qt. Anti-Freeze	1	1.1 lbs.
1140	1 qt.	6	8 lbs.
1145	1 & 5 qt. (Same style as Model 1135 but smaller)	10	5 lbs.
1146	1 & 5 qt. Automatic Transmission	1	2 lbs.
1147	1 & 5 qt. Automatic Transmission	10	6 lbs.



MODEL 1140



MODEL 1146



MODEL 1110



MODEL 1135
or
MODEL 1145



MODEL 1125
or
MODEL 1121



MODEL
1135 SG






MODEL 501

BROOKINS OVAL RADIATOR FILLER

NEW Oval Radiator Filler — special curved spout to reach all types of radiator intakes. Rest lug, pistol grip, swinging bail handle with wood grip.

MODEL	CAPACITY	PACKED UNIT LOT	UNIT LOT SHIP. WT.
501	12 qt.	6	24 lbs.



MODEL 551


MODEL 553

MODEL 546A

BROOKINS FUNNELS

Lock seams — hot-dip galvanized to resist rust and corrosion. Equipped with strainer and baffle, except Model 546A. All funnel spouts are grooved for air-venting. Model 546A has tapered spout to fit openings of 1" and larger.

MODEL	CAPACITY	SIZE	PACKED UNIT LOT	SHIP. WT. UNIT LOT
546A	2 qt.	6" dia.	12	9 lbs.
551	8 qt.	11 7/8" dia.	3	8 lbs.
553	8 qt.	11 7/8" dia.	3	9 lbs.
Heavy-Duty Tin Funnel				
544	1 qt.	4 1/8" dia.	12	4 lbs.



MODEL 562

MODEL 564

MODEL 566

BROOKINS TIN UTILITY FUNNELS

New low cost tin utility funnels for power motors, outboards, garage, gasoline, home and shop use.

MODEL	CAPACITY	SIZE	PACKED UNIT LOT	SHIP. WT. UNIT LOT
560	1/4 pt.	2 3/4" dia.	36	2 lbs.
561	1/2 pt.	3 1/2" dia.	36	3 1/4 lbs.
562	1 pt.	4 1/2" dia.	36	4 3/4 lbs.
563	1 qt.	5 3/4" dia.	36	6 3/4 lbs.
564	2 qt.	6 1/2" dia.	36	8 1/2 lbs.
565	4 qt.	7 3/4" dia.	36	12 lbs.
566	6 qt.	9 1/4" dia.	24	11 lbs.

BROOKINS LOCK-ON TRACTOR FUNNEL


Fits all three commonly used farm tractor gas tank filler necks. Locks on — permits fueling by one man. Hand galvanized. Has removable bronze screen.

MODEL	CAPACITY	SIZE	PACKED UNIT LOT	SHIP. WT. UNIT LOT
554T	15 qt. (min.)	10" dia.	6	15 lbs.

BROOKINS WASH PAN

Utility pan for washing parts and draining small radiators and crankcases. Seamless, hot-dipped galvanized — reinforced bottom — flanged lip for carrying.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
673	3 1/4 gal.	12	32 lbs.



MODEL 673




MODEL 554T

BROOKINS WOOD CREEPER

Heavy-duty creeper with hardwood frame, three double thickness center supports and comfortable massive headrest. "Easy-Over" wheels roll in any direction over roughest floors. The perfect Mechanic's Creeper — low enough to get under tight clearances.

MODEL	SIZE	PACKED UNIT LOT	SHIP. WT. UNIT LOT
271	36" x 15½"	2	28 lbs.
"Ease-Over" Casters			
491	3" dia.	16	12 lbs.




MODEL 271

BROOKINS CREEPER — ADJUSTABLE HEADREST

42" creeper with adjustable headrest. Finger tip adjustment raises head and shoulders to comfortable working height. Simple ratchet mechanism controls six positions. 3" casters and sponge rubber headrest.

MODEL	SIZE	PACKED UNIT LOT	SHIP WT. UNIT LOT
272	42" x 15½"	2	32 lbs.



MODEL 272

BROOKINS MECHANICS SEAT & TOOL TRAY

Combination seat and handy tool tray. Ideal for brake work, wheel alignment, body repair and many other uses. Shipped knocked down.

MODEL	SIZE	PACKED UNIT LOT	UNIT LOT SHIP WT.
273	14" x 18" x 12"	1	12 lbs.




MODEL 273

BROOKINS TIRE AND TUBE TESTER

Heavy-duty galvanized container with reinforced edges. Takes balloon tubes and tubeless tires.

MODEL	SIZE	PACKED UNIT LOT	SHIP. WT. UNIT LOT
606	31½" x 12" x 12"	3	33 lbs.




MODEL 606


BROOKINS RADIATOR DRAIN PAN

Heavy steel, hot-dipped galvanized, with corrugated reinforced bottom and side. Carrying handles, pouring lip and flow control baffle plate. 19" diameter, 6" deep.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
676	6 gal.	2	12 lbs.

MODEL 676





MODEL 85



MODEL 35




MODEL 692 1/2 A



MODEL 695



MODEL 682



MODEL 686



MODEL 688



MODEL 680

BROOKINS OIL BOTTLE AND RACK

Tough, annealed glass bottle — 1 qt. capacity — thick walled — carries required "Sealers Approval". Rugged spout fits any 1 qt. bottle with mason jar threads. Metal Carrying Basket — 8 compartments — electric welded — electro-plated to prevent rusting.

MODEL	DESCRIPTION	PACKED UNIT LOT	SHIP. WT. UNIT LOT
25	Metal Spout, Dust Cap and gasket	12	3 lbs.
25P	Plastic Spout & Dust Cap	12	2 lbs.
30	1 Qt. Bottle only	12	20 lbs.
35	1 Qt. Bottle, Dust Cap, Spout and Gasket	12	22 lbs.
(See Price Sheet for Spout Accessories not listed here.)			
85	Metal Carrying Basket	1	3 lbs.
80	8 Bottle set complete with basket	1	22 lbs.

BROOKINS GAS CANS

26 gauge galvanized steel. Seamless drawn body — no top seam, no side seam. Bottom double seamed to body. Equipped with 6 inch flexible spout and strainer screen. Air vent for faster pouring.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
691 (Flexible Spout)	1 gal.	6	14 lbs.
692 (Flexible Spout)	2 gal.	6	20 lbs.
692 1/2 (Flexible Spout)	2 1/2 gal.	4	14 lbs.
692 1/2 A (Flexible Spout)	2 1/2 gal. w/oil cup	4	15 lbs.
695 (Flexible Spout)	5 gal.	4	22 lbs.

BROOKINS HEAVY-DUTY GAS CANS

24-gauge seamless, welded steel container with hose clips, ears and spout welded to body. Base reinforced with steel band. Large hand grip for easy opening and rapid filling. Flexible, detachable tube. Clips hold spout to can. Red enamel finish.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
682	2 1/2 gal.	4	22 lbs.
685	5 gal.	4	30 lbs.

BROOKINS SAFETY GAS CANS

Approved by Underwriters Laboratories and Factory Mutual. Combination free-swinging carry and operating handle. One piece, no-seam body. Model 688 Pour Spout fastens easily to lip of can. Pour Spout not supplied with can — order as an accessory.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
686	2 1/2 gal.	2	12 lbs.
687	5 gal.	2	14 lbs.
689	1 gal.	6	16 lbs.
688	Use with Models 686, 687 & 689	2	12 oz.

BROOKINS FLEX-O-SPOUT FILLER CAN

For fishermen, sportsmen and others who use outboard motors. A convenient, portable container for lubricated motor fuel. Welded steel, treated to prevent rust and corrosion. No seams — automatic tapered brass valve in pouring spout — automatic air vent.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
680	2 1/2 gal.	4	20 lbs.
683	5 gal.	2	15 lbs.

BROOKINS SOLID BODY OILERS

Drawn steel body with double seam bottom.

MODEL	CAPACITY	SPOUT	SP. LGTH.	PACKED UNIT LOT	SHIP. WT. UNIT LOT
353A	1/3 pt.	Rigid	3"	12	4 lbs.
353B	1/3 pt.	Rigid	5"	12	4 lbs.
353C	1/3 pt.	Rigid	9"	12	4 lbs.
354	1/3 pt.	Flexible	8"	12	3 lbs.

BROOKINS PISTOL TYPE OILERS

Delivers positive stream — trigger action plunger pumps fluid at high pressure — comfortable hand fit.

MODEL	DESCRIPTION	PACKED UNIT LOT	SHIP. WT. UNIT LOT
314	Seamless Steel, 6 oz. capacity, 6" seamless spout	6	4 1/2 lbs.
314F	Flexible Spout, 6 oz. capacity 6" spout	6	5 lbs.
320	Polished Brass, 5 1/2 oz. capacity, 5 3/4" Rigid Spout	6	3 lbs.
320F	Polished Brass, 5 1/2 oz. capacity, 6 1/2" Flex. Spout with cap	6	5 lbs.
321	Clip (for Model 320)	6	8 oz.
351	Nickle-plated, 6 oz. capacity, 6" Spout	6	4 lbs.
352	Copper Bronze, 6 oz. capacity, 6" Spout	6	4 lbs.
352C	Clip (for Model 352)	6	6 oz.

BROOKINS PUMP TYPE OILERS

Positive action pumping unit — trigger control — flexible spout for shock absorber service.

MODEL	CAPACITY	SPOUT	SP. LGTH.	PACKED UNIT LOT	SHIP. WT. UNIT LOT
324	3/4 pt.	Rigid	6"	6	7 lbs.
355	3/4 pt.	Flexible	8"	6	7 lbs.
356	1 pt.	Flexible	13 1/2"	6	9 lbs.
357	1 qt.	Flexible	13"	6	9 lbs.

BROOKINS SPRAYER CLEANER

Combination sprayer, cleaner and paint gun. Sprays lightest penetrating oil, heavy graphite spring oil or paint. Snaps on Schrader, Dill or other air chucks.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
2805	1 qt.	6	10 lbs.
2807FS	Fanspray Nozzle	6	4 oz.


BROOKINS BLOW GUN

Blows out radiators, cleans gas lines, dries wet coils and other blowing and drying jobs. Light — durable — pistol hand-grip for perfect control. Snaps on Schrader, Dill and other air chucks. Seamless air tube.


MODEL	DESCRIPTION	PACKED UNIT LOT	SHIP. WT. UNIT LOT
2643	Pistol Type, 8" tube	12	8 lbs.



MODEL 354




MODEL 353C



MODEL 351

MODEL 320




MODEL 314




MODEL 355



MODEL 324



MODEL 2805



MODEL 2643




BROOKINS CRANKCASE DRAIN TANK

Heavy-gauge metal — improved baffle and screen to prevent splash — mounted on skids — finished in green enamel — size 27" x 11 1/4" x 5".

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
450	4 gal.	1	11 lbs.

MODEL 450



BROOKINS GARAGE PAIL

A garage necessity. Sturdy galvanized pail formed from heavy black steel — galvanized throughout after assembly.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
500	12 qt.	12	25 lbs.

MODEL 500




BROOKINS OILY WASTE CANS

Underwriters' Laboratories label. Lid will not stay open unless blocked. Extra heavy sheet steel — top and bottom reinforced with steel hoops — hot-dip galvanized.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
605	5.1 gal.	1	13 lbs.
608	8.1 gal.	1	18 lbs.

MODEL 608




BROOKINS ALCOHOL DISPENSER

For dispensing kerosene, alcohol and light oil with air pressure. Fits 3/4" bung holes. 36" flexible tubing. Safety valve releases pressure above 9 lbs.

MODEL	PACKED UNIT LOT	SHIP. WT. UNIT LOT
650	6	20 lbs.

MODEL 650



BROOKINS RUBBER BATTERY FILLER

All rubber battery filler, streamlined, with large carrying handle. Extra long 15" hose with retaining clip. Will not mar finish. Ideal for 12 volt battery service. One gallon capacity.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP WT. UNIT LOT
400	1 gal.	6	15 lbs.




MODEL 400

BROOKINS BATTERY FILLER

Use with electrolyte or water. Electrically welded steel frame with hose and hydrometer support. Vent tube — delivery hose with hard rubber tip — 1 gal. bottle. Red enamel.

MODEL	CAPACITY	PACKED UNIT LOT	SHIP. WT. UNIT LOT
401	1 gal.	6	30 lbs.

MODEL 401




BROOKINS DISPLAY STAND

FREE with \$100.00 Stock Order.

Saves Space — Time — Keeps Store Neat — Sells and Keeps Selling More Brookins Equipment.

A silent salesman that moves more Brookins equipment for you. This beautiful display stand in your store lures customers over . . . invites them to inspect your line. Rugged, yet light and easy to move. Compact, yet holds as many as 13 Brookins items. Size 26" x 15 1/2" x 63 1/2".



DISPLAY STAND

Brookins
SERVICE STATION EQUIPMENT

DEALER
NET PRICE LIST

720

Weatherly Index

EFFECTIVE MARCH, 1960

Model No.	Suggested Resale Price	ITEM	Page No.
25	.30	Spout, Dust Cap & Gasket (Metal)	6
25-P	.42	Plastic Spout & Dust Cap (No Gasket Required)	6
30	.29	1-qt. Bottle Only	6
35	.58	1-qt. Bottle, Spout & Dust Cap	6
80	7.43	8 Bottle Set Complete With Basket	6
85	2.81	Basket Only — 8 Compartment	6
90	.13	Dust Cap for Spout (Metal)	6
90-P	.12	Plastic Dust Cap Only	6
91	.23	Spout Only (Metal)	6
91-P	.30	Spout Only (Plastic)	6
95	.04	Vellumoid Gasket for Spout	6
101	6.46	1-qt. Flexible Spout Flow Control Measure	2
101-AT	7.79	1-qt. Flexible Spout Flow Control Measure — 24" Spout	3
102	6.84	2-qt. Flexible Spout Flow Control Measure	2
104	7.96	4-qt. Flexible Spout Flow Control Measure	2
271	9.32	Wood Creeper	5
272	13.02	Creeper with Adjustable Headrest	5
273	9.00	Mechanics Seat & Tool Tray	5
315	18.37	5-gallon Test Measure	3
314	1.13	6-oz. Pump Oiler — Rigid Spout	7
314F	1.31	6-oz. Pump Oiler Flexible Spout	7
320	1.70	5 1/2-oz. Handy Oiler — Polished Brass	7
320-F	1.88	5 1/2-oz. Handy Oiler — Polished Brass — Flexible Spout	7
321	.11	Clip for Holding Oiler	7
324	2.10	3/4-pt. 6" Rigid Spout Oiler	7
351	2.04	6-oz. Hand Oiler (Nickel Plate)	7
352	1.74	6-oz. Hand Oiler (Aluminum Paint)	7
352-C	.14	Clip for 352 Oiler	7
353-A	.33	1/3 pt. Solid Body Oiler — 3" Rigid Spout	7
353-B	.35	1/3-pt. Solid Body Oiler — 5" Rigid Spout	7
353-C	.36	1/3-pt. Solid Body Oiler — 9" Rigid Spout	7
354	.57	1/3-pt. Solid Body Oiler — 8" Flexible Spout	7
355	2.03	3/4-pt. Oiler — 8" Flexible Spout	7
356	2.55	1-pt. Oiler — 13 1/2" Flexible Spout	7
357	2.93	1-qt. Oiler — 13" Flexible Spout	7
400	5.46	1-gal. Rubber Battery Filler	8
401	4.50	1-gal. Battery Filler	8
405	18.97	5-gal. Oil Drain Can (Red)	3
405W	18.97	5-gal. Oil Drain Can (White)	3
450	9.53	4-gal. Crankcase Drain Tank	8
491	.89	3" Casters for Creepers	5
500	1.28	12-qt. Garage Pail	8
501	3.45	3-gal. Radiator Filler — Oval	4
511	1.23	1-qt. Galv. Combination Measure — Rigid Spout	2
512	1.62	2-qt. Galv. Combination Measure — Rigid Spout	2
514	1.95	4-qt. Galv. Combination Measure — Rigid Spout	2
544	1.13	1-qt. Funnel — 4 1/8" diam. — Heavy Duty Tin	4
546-A	1.08	2-qt. Funnel — 6" diam. — Heavy Duty Galvanized	4
551	2.57	8-qt. Funnel — 11 7/8" diam. — Heavy Duty Galvanized	4
553	3.38	8-qt. Funnel — 11 7/8" diam. — Heavy Duty Galvanized	4
554-T	2.41	15-qt. per min. Multi-lock Funnel — H. D. Galvanized	4
555	3.00	12-qt. Galv. Funnel — 11" diameter	4
560	.17	1/4-pt. Funnel — Tin	4
561	.20	1/2-pt. Funnel — Tin	4
562	.23	1-pt. Funnel — Tin	4
563	.24	1-qt. Funnel — Tin	4
564	.29	2-qt. Funnel — Tin	4
565	.35	4-qt. Funnel — Tin	4
566	.51	6-qt. Funnel — Tin	4
605	15.66	5.1-gal. Oily Waste Can	8
606	6.90	Tire Tube Testing Tank, Less Tube Holder	8
608	20.30	8.1-gal. Oily Waste Can	8
650	6.94	Drum Type Dispenser	8
671	1.95	1-qt. Galv. Combination Measures — Flexible Spout	2
672	2.16	2-qt. Galv. Combination Measure — Flexible Spout	2

← Only Orders for Full Unit Package Lots Will Be Accepted →

Model No.	Suggested Resale Price	ITEM	Page No.
673	1.74	3/4-gal. Round Parts & Drain Pan	4
674	2.64	4-qt. Galv. Combination Measure — Flexible Spout	2
676	3.75	6-gal. Round Radiator Drain Pan	5
680	5.45	2 1/2-gal. Welded Steel Motorboat Can	6
682	5.04	2 1/2-gal. Heavy Duty Welded Can	6
683	6.71	5-gal. Welded Steel Motorboat Can	6
685	6.71	5-gal. Heavy Duty Welded Can	6
686	6.28	2 1/2-gal. Safety Can, U. L. Approved	6
687	7.29	5-gal. Safety Can, U. L. Approved	6
688	1.13	Pour Funnel	6
689	4.85	1-gal. Safety Can, U. L. Approved	6
691	1.80	1-gal. Gasoline Can	6
692 1/2	1.95	2-gal. Gasoline Can	6
692	2.10	2 1/2-gal. Gasoline Can	6
692 1/2-A	2.25	2 1/2-gal. Gasoline Can with Oil Cup	6
695	2.85	5-gal. Gasoline Can	6
805	9.00	5-qt. Crankcase Filler — Flexible Spout	2
805-AT	10.36	5-qt. Crankcase Filler — 24" Flexible Spout	3
806	9.32	6-qt. Crankcase Filler — Flexible Spout	2
808	9.92	8-qt. Crankcase Filler — Flexible Spout	2
808-AT	11.50	8-qt. Crankcase Filler — 24" Flexible Spout	3
905	10.17	5-qt. Crankcase Filler — Rigid Spout	2
906	10.86	6-qt. Crankcase Filler — Rigid Spout	2
908	11.34	8-qt. Crankcase Filler — Rigid Spout	2
1001	7.43	1-qt. Flow Control Measure — Rigid Spout	2
1002	8.10	2-qt. Flow Control Measure — Rigid Spout	2
1004	9.32	4-qt. Flow Control Measure — Rigid Spout	2
1110	.55	Canspout for 1-qt. and Smaller Containers	3
1120	1.35	11" Flexible Extension	3
1121	.60	Canspout for 1-qt. Cans	3
1125	.90	Canspout for 1 & 5-qt. Cans	3
1135	1.65	Canspout for 1 & 5-qt. Cans	3
1135-P	1.20	Canspout for 1 & 5-qt. Cans (Paint Finish)	3
1135-SG	2.93	Canspout for 1 & 5-qt. Cans — Anti-freeze	3
1140	2.91	Oil Dispenser Funnel for 1-qt. Containers — Rigid Spout	3
1145	1.35	Canspout for 1 & 5-qt. Cans	3
1145-P	1.05	Canspout for 1 & 5-qt. Cans (Paint Finish)	3
1146	4.50	Canspout for Automatic Transmission Fluid	3
1147	1.88	Canspout for Automatic Transmission Fluid	3
1149	3.83	1 & 5-qt. Canned Oil Dispenser	3
1149-F	5.78	1 & 5-qt. Canned Oil Dispenser — 13" Flex. Spout	2
1221	9.18	1-qt. Canned Oil Dispenser — Flow Control — Rigid Spout	2
1225	10.47	5-qt. Canned Oil Dispenser — Flow Control — Rigid Spout	2
1231	6.85	1-qt. Canned Oil Dispenser — No Flow Control — Flex. Spout	2
1235	8.19	5-qt. Canned Oil Dispenser — No Flow Control — Flex. Spout	2
1281	7.80	1-qt. Canned Oil Dispenser — Flow Control — Flex. Spout	2
1281-AT	9.20	1-qt. Dispenser — 24" Flexible Spout	3
1285	8.97	5-qt. Canned Oil Dispenser — Flow Control — Flex. Spout	2
1285-AT	10.90	5-qt. Canned Oil Dispenser — 24" Flexible Spout	3
1500	14.23	Electric Signal, 6" Bell, Switch & Panel (less Hose)	7
1501	16.60	Electric Signal (1500) with 1502 & 1503 (less Hose)	7
1502	.95	Hose Anchor & End Plug	7
1503	1.43	Connector Assembly (5' Aluminum Tubing & All Brass Fittings)	7
1504	.95	Hose Y Fitting	7
1505	.14 ft.	Special Formula 3/8" I. D. 1/8" Wall H. D. Hose	7
2643	1.40	Pistol Type Blow Gun	7
2805	5.13	Sprayer Cleaner	7
2807	.74	Fan Spray Nozzle Only	7

Terms: Prices subject to change without notice and all orders subject to billing at prices in effect at time of shipment — also subject to the addition of any tax imposed by any present or future laws on the items covered.

Manufactured Under "Brookins" Patents and Patents Pending

BROOKINS SERVICE STATION EQUIPMENT

DIVISION OF BALCRANK INC.

CINCINNATI, OHIO, U. S. A.

← Only Orders for Full Unit Package Lots Will Be Accepted →